



OSCRETE

PRODUCT GUIDE 2025

PRODUCT


	Block Paving	Cast Stone	Masonry Block	Mortar & Screed	GRC	Roof Tiles	Roller Compacted Concrete	Ready Mixed Concrete	Self Compacting Concrete	Extruded Concrete	Pipes	Structural Precast	Volumetric	Wet Cast Paving	Mould Release Agents	Ancillaries
Alphaflow																
Alphaflow 410 – Superplasticiser				•	•			•	•		•	•	•	•		
Alphaflow 418x – Superplasticiser								•	•		•	•		•		
Alphaflow 420 – Superplasticiser									•		•	•		•		
Alphaflow Bind-It – Viscosity Modifier								•	•			•		•		
Alphaflow VMA – Viscosity Modifier								•	•			•		•		
Betacast																
Betacast NCA – Accelerator (Non-Chloride)						•		•	•		•	•		•		
Betacast XLR – Accelerator (Non-Chloride)						•		•	•		•	•		•		
Colourplas																
Colourplas 334C – Accelerator (Chloride)	•		•													
Colourplas 393 – Process Aid	•	•	•													
Colourplas 497 – Process Aid	•	•	•													
Colourplas 540 – Process Aid	•	•	•													
Colourplas 636 – Process Aid	•	•	•													
Colourplas Ultima – Process Aid	•		•													
Colourplas Compact – Process Aid	•	•	•													
Colourplas CBX – Accelerated Process Aid	•	•	•													
Optomix																
Optomix 100 – Plasticiser								•					•			
Optomix 120 – Plasticiser								•					•			
Optomix 140 – Plasticiser								•					•			
Optomix 170 – AEA Plasticiser								•					•			
Optomix 190 – Mid-Range Plasticiser								•					•			
Optomix 200 – Mid-Range Plasticiser								•					•			
Optomix 210 – Mid-Range Plasticiser								•	•			•	•	•		
Optomix 220 – Mid-Range Plasticiser								•	•			•	•	•		
Optomix 450 – Superplasticiser				•				•	•				•			
Optomix Pump-Aid – Concrete Pump-Aid					•		•	•					•			
Optomix A65 – Air Entrainers								•	•				•			
Optomix R42 – Retarder				•				•								
Optomix SRA – Shrinkage Agent								•	•			•		•		
Optomix RCC – Roller Compacted Concrete							•									
Optomix ReGen 9000 – Truck Wash System								•								
Optomix FC – Foaming Agent								•					•			
Ospave																
Ospave 170 – AEA Plasticiser										•	•			•		
Ospave 180 – Superplasticiser										•	•			•		
Ospave 700 – Accelerated Superplasticiser								•	•		•	•		•		
Ospave 710 – Superplasticiser								•	•		•			•		

PRODUCT

	Block Paving	Cast Stone	Masonry Block	Mortar & Screed	GRC	Roof Tiles	Roller Compacted Concrete	Ready Mixed Concrete	Self Compacting Concrete	Extruded Concrete	Pipes	Structural Precast	Volumetric	Wet Cast Paving	Mould Release Agents	Ancillaries
Sigma																
Sigma 120 – Compaction Aid			•													
Sigma 190 – Compaction Aid			•													
Sigma 412 – Waterproofer		•	•	•				•					•	•		
Sigma 412R – Waterproofer		•														
Sigma HS – Waterproofer		•	•											•		
Tegla																
Tegla 303 – Compaction Aid						•										
Tegla SP80 – Superplasticiser						•				•						
Tegla Extrude – Superplasticiser						•				•						
Tegla HC – Concrete Extruder						•				•						
Optomix																
Optomix A61 – Air Entrainer				•												
Optomix A70 – Air Entrainer				•												
Optomix A3 – Air Entrainer				•												
Optomix R42 – Retarder				•				•								
Optomix RW72 – Water Reducing Retarder				•				•								
Optomix SBR – Water Resisting Admixture				•												
FlowCast																
FlowCast GRC – Multi Functional Powder					•											
SprayCast GRC – Multi Functional Powder					•											
Dyflex LP9908AF – Acrylic Polymer					•											
Aquapel																
Aquapel 164 – Water Repellent	•	•	•													
Aquapel 179 – Water Repellent	•	•	•													
Aquapel HS – Water Repellent	•	•	•													
Aquapel 758 – Water Resisting Admixture	•	•	•													
Aquapel Prime – Water Repellent	•	•	•					•								
Aquapel EFX – Water Resisting Admixture	•	•	•					•								
Oscreed																
Oscreed QD – Screed Accelerator				•												
Oscreed 893 – Superplasticiser				•												
Optomize																
Optomize X-Tend 800 – Retention Aid								•	•			•				
Optomize X-Tend 810 – Retention Superplasticiser								•	•			•				
Optomize X-Tend 820 – Retention Superplasticiser								•	•			•				
Optomize X-Tend 850 – Retention Superplasticiser								•	•			•				
Optomize X-Tend 860 – Retention Superplasticiser								•	•			•				
Optomize X-Tend 870 – Retention Superplasticiser								•	•			•				
Optomize Accel 600 – Accelerating Superplasticiser									•			•				

PRODUCT

	Block Paving	Cast Stone	Masonry Block	Mortar & Screed	GRC	Roof Tiles	Roller Compacted Concrete	Ready Mixed Concrete	Self Compacting Concrete	Extruded Concrete	Pipes	Structural Precast	Volumetric	Wet Cast Paving	Mould Release Agents	Ancillaries
Osrel																
Osrel Easy Lease – Release Agent															•	
Osrel Plus – Release Agent															•	
Osrel Extra – Release Agent															•	
Osrel Ecofine 1500 – Release Agent															•	
Osrel Lease CA – Release Agent															•	
Osrel Bio MRA – Release Agent															•	
Osrel Lease P – Release Agent															•	
Osrel Lease MR4 – Release Agent															•	
Osrel Lease CA3 – Release Agent															•	
Osrel Strike – Release Agent															•	
Osrel Eco Barrier – Protection Oil															•	
Osrel Bio-Grease 1068 – Jointing Lubricant											•					
Osrel Ecopave Block Sealer	•	•														•
Osrel Ecotard TF – Surface Retarder Liquid		•														•
Osrel Ecotard MF – Surface Retarder Gel		•														•
Osrel Expel – Concrete Etcher & Cleaner								•								•
Osrel Truck Wash – Concrete Equipment Cleaner								•				•				•
Oscrete 90 – Curing Agent								•								•
Oscrete WB – Curing Agent								•								•
Oscrete Eco-Wax – Curing Agent								•								•
Renocem FC30 Light – Cementitious Repair Mortar												•				•
Fibres																
Forta Ferro 54mm – Macro Fibre								•	•		•	•				
S-Master 54mm – Macro Fibre								•	•		•	•				
Oscrete 6mm HD – ARGF				•		•	•	•					•			
Oscrete 12mm HP – ARGF				•		•	•	•	•		•	•	•			
Polyex 12mm – Polypropylene				•		•	•	•	•		•	•	•			
Fibre on a Roll – Continuous Glass Fibre Roll									•				•			
Oscrete 67/36 Anti-Crack – ARGF								•	•		•	•				
Cem-FIL 60.3 82 Tex – 6mm					•											
Cem-FIL 60.3 82 Tex – 12mm					•											
Cem-FIL 60.3 135 Tex – 12mm					•											
Cem-FIL 62.4 45 Tex – 6mm					•											
Cem-FIL 62.4 45 Tex – 12mm					•											
Cem-FIL 70.3 – 3mm					•											
Cem-FIL 70.3 – 6mm					•											
Cem-FIL 54.2 76 Tex – Roving					•											



INVESTORS IN PEOPLE
We invest in people Gold



BRADFORD 2025
UK City of Culture